

How to configure units for a linear array



Overview

Learn pro steps to set up a line array for bars: planning, rigging, speakers, subs, DSP tuning, and safety. Users will need to perform the following general tasks to properly put an EAW line source product into use. This manual includes details for each task. Design the system using the Resolution™ 2 Design & Control Software (see the program Help File for further information about using Resolution). Get updates about Shure news, product releases, special offers, events and more! ©2026 Shure Inc. Shure MXA710 linear array microphone manual. Learn how to install 2-foot and 4-foot versions and how to use Shure's trusted IntelliMix DSP platform The uniform linear array (ULA) arranges identical sensor elements along a line in space with uniform spacing. Now let's talk a bit about antenna arrays. Each LTM3 kit has a certain combination of linear LED ecti tion This page documents the antenna array configurations supported by the KrakenSDR Direction of Arrival (DoA) system and explains how to properly configure your antenna array for optimal direction finding performance.



Article Content

Section 6 Antenna Array Design

Here the scanning boundaries are shown separately for two axes for a simple rectangular array unit cell. During analysis, the phase relationship between the master and slave walls are varied ...

MXA710 User Guide

Shure MXA710 linear array microphone manual. Learn how to install 2-foot and 4-foot versions and how to use Shure's trusted IntelliMix DSP platform.

Phased Array Antenna Patterns—Part 1: Linear Array Beam ...

Deriving the array factor for a uniform linear array is straightforward, but the details are best covered in the references cited at the end of this article. There are some variations in equations used across ...

CHAPTER 3 ANTENNA ARRAYS AND BEAMFORMING

Array beams can be formed or scanned using either phase shift or time delay systems. Each has distinct advantages and disadvantages.

Uniform Linear Array

Construct 4-element ULA using value-only syntax and compute the delay for a signal incident on the array from -90° azimuth and 0° elevation. Delay units are in seconds.

Linear Antenna Array Design Principles

This document discusses linear antenna arrays, including a two-element array and an N-element linear array with uniform amplitude and spacing. It describes how to calculate the array factor and total field ...

Antenna Arrays

To optimize this design, both the maxima of the single element and the array factor should be both directed toward $= 90^\circ$. To have the maximum of the array factor in a uniform linear array directed to ...

Line Array Setup for Bars: Step-by-Step Guide | T.I Audio

Learn pro steps to set up a line array for bars: planning, rigging, speakers, subs, DSP tuning, and safety. Practical guide from T.I Audio for small venues.

Line Array Application Guide

Users simply need to define the array position, allowable trim, minimum clearance, and quantity of modules available and use the Array Assistant to determine the optimal array configuration for a ...

Antenna Configurations | krakenrf/krakensdr_doa | DeepWiki

This page documents the antenna array configurations supported by the KrakenSDR Direction of Arrival (DoA) system and explains how to properly configure your antenna array for ...

18 LINEAR ARRAY CONFIGURATION EXAMPLES ALM3 - ...

For example, if ordering an LTM3 kit of 3 ft. (3'') nominal length, here are the possible options (using combinations of linear LED arrays of 11 in., 12 in., 22 in., and 24 in. lengths) :

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://sdesign.net.pl>

Email: sales@sdesign.net.pl

Phone: +48 694 237 815

Address: ul. Marszałkowska 10, 00-001 Warsaw, Poland

This document is for informational purposes only. Specifications subject to change without notice.

